

	Hits	Search Text	DBs
8	0	S5 and (locator\$1 or spider\$1) and (analyz\$4 with ((form\$5 or build\$5 or creat\$5 or generat\$5) with database\$1) with descriptor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	966	S5 and (locator\$1 or spider\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	0	S11 and (analyz\$4 same ((form\$5 or build\$5 or creat\$5 or generat\$5) with database\$1) same descriptor\$1) and (associat\$5 or relat\$5 or link\$6 or point\$5 or referenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	373	S11 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	303	S13 and ((form\$5 or build\$5 or creat\$5 or generat\$5) with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	48	S14 and descriptor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	48	S15 and (associat\$5 or relat\$5 or link\$6 or point\$5 or referenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

Best Available Copy

	Hits	Search Text	DBs
15	12	S16 and (financ\$5 with transaction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	1	S17 and (predict\$5 with model\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	84	(predict\$5 with model\$4) with ((classif\$5 or categor\$5 or vector\$5 or segment\$5 or group\$5) with behavior\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	16	S19 and (data with mining\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	3	S20 and ((augment\$5 or supplement\$5) with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	84	(predict\$5 with model\$4) with ((classif\$5 or categor\$5 or vector\$5 or segment\$5 or group\$5) with behavior\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	16	L1 and (data with mining\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	3	L2 and ((augment\$5 or supplement\$5) with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	3	L3 and analyz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	3	L4 and descriptors\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	2	l5 and (locator\$1 or spider\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	54043	(source\$1 or transaction\$1 or product\$1 or service\$1 or merchant\$1 or vendor\$1) near4 database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	28289	(source\$1 or transaction\$1 or product\$1 or service\$1 or merchant\$1 or vendor\$1) near2 database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	2	16 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	1	15 not 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	3363	((augment\$5 or supplement\$5) with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	25509	predict\$5 with (classif\$5 or categor\$5 or vector\$5 or segment\$5 or group\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	170	l11 and l12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	126	L13 and analyz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	21	L14 and descriptors\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	12	l15 and l8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	0	l16 and (@ad < "20001228")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	4	l15 and (@ad < "20001228")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	2	(("6606744") or ("20010016833")) .PN.	US-PGPUB; USPAT

	Hits	Search Text	DBs
20	3	L3 and analyz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	2	((("5941944") or ("60980654") or ("6266664"))).PN.	USPAT
2	23107	((source\$1 near4 database\$1) or (database\$1 near8 transaction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	9827	S3 and (@ad < "20001228")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	S6 and (predict\$5 with model\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	0	S6 and predict\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	2	S5 and ((locator\$1 or spider\$1) same ((referenc\$4 near2 database\$1) or ((internet or public) with database\$1))) same (associat\$5 or relat\$5 or link\$6 or point\$5) same ((source\$1 near4 database\$1) or (database\$1 near8 transaction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	0	S5 and (locator\$1 or spider\$1) and (associat\$5 or relat\$5 or link\$6 or point\$5) and (analyz\$4 with ((form\$5 or build\$5 or creat\$5 or generat\$5) with database\$1) with descriptor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB